


FIG. 1

FIG. 2
STATE TRANSITION MAP



SYNC CHANNEL MESSAGE

Field	Length(bits)
MSG_TYPE("00000001")	8
P_REV	8
MIN_P_REV	8
SID	15
NID	16
PILOT_PN	9
LC_STATE	42
SYS_TIME	36
LP_SEC	8
LTM_OFF	6
DAYLT	1
PRAT	2
RESERVED	3

Paging Channel Message


	I nging ciminiti integrib	
	Message Name	Message
	_	Type
		(binary)
	System Parameters Message	00000001
	Access Parameters Message	00000010
(1)	Neighbor List Message	00000011
_	CDMA Channel List Message	00000100
	Slotted Page Message	00000101
	Page Message	00000110
	Order Message	00000111
2	Channel Assignment Message	00001000
_	Data Burst Message	00001001
	Authentication Channel Message	00001010
	SSD Update Message	00001011
	Feature Notification Message	00001100
	Extended System Parameters	00001101
	Message	
	Reserved	00001110
	Reserved	00001111
	Service Redirection Message	00010000
	General Page Message	00010001
	Global Service Redirection Message	00010010
	Null Message	

Forward Traffic Channel Message

	Message Name	Message Type (binary)
	Order Message	00000001
	Authentication Channel Message	01000000
ල	Alert With Information Message	00000011
)	Data Burst Message	00000000
a	Handoff Direction Message	10100000
)	Analog Handoff Direction Message	00000110
	In-Traffic System Parameters Message	00000111
	Neighbor List Update Message	00010000

Order Message

Registration Rejected Order Service Option Control Order	
Order Service Option Control Order Local Control Order	Registration Rejected
Service Option Control Order	Order
Order Local Control Order	Service Option Control
Local Control Order	Order
LUCAI COIRCI CIACI	Local Control Order



00001101

00010000

00010001

Extended Handoff Direction Message

00001111

Mobile Station Registered Message

Reserve

Flash With Information Message

00001010 0001100

Power Control Parameters Message

Send Burst DTMF Message

Retrieve Parameters Message

Set Parameters Message SSD Update Message

00001011

00001001

FIG.6A




FIG. 7




FIG. 8

